

### CMG GardenNotes #103

### **Reading Pesticide Labels Worksheet**

Find the answers to the questions on the label provided.

Instructors: the numbers in text boxes correspond to the location for the answers.

1. What are the active ingredients?

Sulfur (0.20%) and Pyrethrins (0.01%). (Under CAUTION on front of pesticide label.)

2. Can I apply this product to lilacs? The plant has powdery mildew and aphids.

Yes, the use site and pests are on the label. Look in "Pest" box next to "Ornamentals" box. Note: even if only the site was on the label ("lilacs" or "trees and shrubs") it would still be okay to apply the product.

- 3. I've applied this to my cabbage crop. How long do I have to wait after the application to eat it? One day.
- 4. What is the mode of action for this product?

It is a "contact killer". See the green paragraph above "the "Quick Facts" bar.

5. Will this product harm freshwater clams?

Yes – they're freshwater invertebrates. (See "environmental hazards").

6. What action do I take if I accidentally spill this product on my shirt sleeve?

Take off contaminated clothing. If you get it on your skin, rinse it immediately with plenty of water for 15 -20 minutes. You can also call your doctor or poison control center.

7. How do I dispose of the empty container?

Label directions say to place in trash or recycle if the service is available.

8. How should I store this product?

Store at room temperature and keep from freezing.

9. Can I use this product in my greenhouse where I grow culinary herbs for sale?

No, the label states the product is only for use on home gardens and lawns. It is not to be used on commodities for resale.





### PRECAUTIONARY STATEMENTS (cont'd)

### CAUTION Hazards to Humans and Domestic Animals

- Causes moderate eye irritation. Avoid contact with eyes. Avoid contact with skin or clothing.
- Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

### FIRSTAID +

### IFON SKIN OR CLOTHING

- Take off contaminated clothing.
- Rinseskinimmediately with plenty of water for 15-20 minutes.
- CLOTHING Calla poison control center or doctor for treatment advice.

### IF IN EYES

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contactlenses, if present, after the first 5 minutes, then continuer insing eye.
- Calla poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. For additional information on this pesticide product, you may call toll free 1-877-229-3763 for emergency medical treatment information.

NOTICE TO BUYER: To the extent consistent with applicable law, seller warrants that this product conforms to the chemical description on this label and is reasonably fit for the purposes stated on this label only when used in accordance with directions under normal use conditions. This warranty does not extend to use of this product contrary to label directions, or under conditions not reasonably foresee able to seller. To the extent consistent with applicable law, seller makes no other warranties, either expressed or implied.

Money Back Guarantee: If you are not satisfied with this product, we will gladly refund your original purchase price.

EPAReg. No. 67702-15-72155
EPAEst. No indicated by 3rd and 4th digits of the batch number on this package.

(47)=52251-OR-005 (65)=432-TX-1

(57)=071106-GA-003

Distributed by: Bayer Advanced A Business Unit of Bayer CropScience LP P.O. Box 12014, 2T.W. Alexander Drive Research Triangle Park, NC 27709

Sold under License of W. Neudorff GmbH KG

Bayer(reg'd), BayerCross(reg'd), BayerAdvanced™and Natria® are trademarks of Bayer.

Indicaciones

en español después de las

de inglés



This product controls a wide range of fungal diseases and pests. For use on roses, flowers, houseplants, ornamental trees and shrubs, fruits, nuts, and vegetables. Contact killer for both insect and mite pests. Convenient and Easy-to-use.

### READ THE LABEL FIRST!

### QUICKFACTS

- Controls Insects, Fungal Diseases and Mites Including Spider Mites
- For Use on Plants Indoors & Outdoors
- Use Upto Day Before Harvest

KILLS

Ants (excluding Fire Ants, Harvester Ants, Pharaoh's Ants and Carpenter Ants), Aphids, Mites, Spider Mites, Leafhoppers, Caterpillars, Rose Slugs, Whitefl , Spittlebugs, Mealybugs, Scale, Thrips, Psyllids, Plant Bugs, Lace Bugs, Fruit Flies, and Earwigs.

CONTROLLED

FUNGAL DISEASES Blackspot, powdery mildew, rust, scab, blight, brown rot, and leaf spot.

WHERE TO USE

On roses, flowers, listed fruit and nut trees, vegetables, vine plants, ornamentals and lawns.



WHEN TO USE When insects, insect damage, or fungal disease first appears.

Forguestions or comments,

call toll-free 1-877-BayerAG (1-877-229-3724)

### ACTIVE INGREDIENTS:

Sulfur	0.20%
Pyrethrins	0.01%
OTHER INGREDIENTS	. 99.79%
TOTAL 1	100.00%

### EPA Reg. No. 67702-15-72155

EPA Est. No indicated by 3rd and 4th digits of the batch number on this package. (47) = 52251-OR-005 (65)=432-TX-1 (57)=071106-GA-003 **FORUSE ONLY ON** 

79713606d 140403AV1

## IRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent

### USE PRECAUTIONS

- plant damage may occur. Some varieties of grapes and cucurbits are sensitive to sulfur and some
- Use care or do not spray on sulfur sensitive plants. If not sure, test spray a fewleaves2daysbeforesprayingtheentireplant.

### USE RESTRICTIONS

- Do not wet plants to point of runoff or drip. Do not apply to strawberry fruit that will be used for canning.
- Do not water the treated areas to point of runoff or drip
- Do not make applications during rain.
- Notforuse in outdoor residential misting systems
- Do not apply more than 10 times per season.
- In case of extreme pest pressure do not reapply within 24 hours. Do not reapply within 3 days except under extreme pest pressure
- Do not apply more than 1 time per day.
- Do not apply more than 18.5 fl. oz. per 100 square feet per application. Do not use if temperatures are expected to be over 90°F.

Donot dilute. before using. Shakewell TOUSE MOM

YOUUSE BEFORE

- Do not apply this product in a way that will contact adults, children or
- Removepets, birds, and cover aquariums before spraying. pets, either directly or through drift
- Remove or cover exposed food and drinking water before application. preparation surfaces, or wash them before use. Remove or cover dishes, utensils, food processing equipment, and food
- Do not apply directly to or near water, storm drains, or drainage ditches treated area(s) or apply prior to heavy rainfall Do not apply when windy. To prevent product runoff, do not over water
- Do not apply directly into sewers or drains, or to any area like a gutter Do not allow the product to enter any drain during or after application. where drainage to storm sewers, water bodies, or aquatic habitat can occur.
- Do not allow adults, children or pets to enter the treated area until sprays
- Do not spray plants with this product within 21 days of an oil spray.

# DIRECTIONS FOR USE (cont'd)

# FOR CONTROL OF FUNGAL DISEASES

every 7 to 10 days or after rain. May be used up to day protective spray early in the season before the diseases are noticed. Re-spray areas of the plant, especially new shoots. For best control apply as a mildew, rust, scab, blight, brown rot, and leaf spot. Thoroughly spray all Controls a wide range of fungal diseases including: blackspot, powdery

## FOR CONTROL OF INSECTS/MITES

For use only on residential lawns and gardens. Not for use on agricultural of leaves. Pests need to be contacted by the spray to be controlled. Skippers, Sowbugs, Spittlebugs, Squash Bugs, Stink Bugs, Tarnished Plant Bug, Orangeworm, Pear Psylla, Plant Bugs, Psyllids, Roseslugs, Scale, Silverfish Indian Meal Moth and Mediterranean Flour Moth), Mushroom Flies, Navel Clover Mite), Moths (including Artichoke Plume Moth, Codling Moth, Maggot), Mealy Bugs, Midges, Millipedes, Mites (including Spider Mites and Fruittree Leafrollers), Lygus, Maggots (including Apple Maggot and Onion Skeletonizer, Green Fruit Worm, Harlequin Bug, Hornworms including Tomato Fireworms, Fungus Gnats, Fruit Flies, Glassy Winged Sharpshooter, Grape Leaf Caterpillar), Crane Flies, Crickets, Diamondback Moth Larvae, Earwigs, Caterpillars (including Eastern Tent Caterpillar, Forest Caterpillar and Tent striped Cabbageworm and Imported Cabbageworm), Cankerworms and Squash Vine Borer), Cabbage Looper, Cabbageworms (including Cross-Mexican and Bean Beetles), Blow Flies, Borers (including European Corn Borer, Saw-toothed Grain Beetles, Elm Leaf Beetles, Flea Beetles, Japanese Beetles, ants, Pharaoh's ants and carpenter ants), Aphids (including Green Peach Controls a wide range of pests including: Ants (excluding fire ants, harvester establishments growing agricultural crops or commodities for resale. (including Boll Weevil, Carrot Weevil, Clover Weevil and Rice Weevil), Whitef Thrips including Greenhouse Thrips, Vinegar Flies, Webworms, Weevils Diamondback Moth, European Pine Tip Moth, Gypsy Moth (adults and larvae) and Potato Leafhoppers), Leafminers, Leaftiers, Loopers, Leafrollers (including Hornworm, Katydids, Lace Bugs, Leafhoppers (including Grape Leafhopper, Cucumber Beetles, Cucumber Beetles, Darkling Beetles (lesser mealworm) Beetle, Bean Beetles, Blister Beetles, Colorado Potato Beetles, 12-spotted Aphids), Armyworms, Bagworms, Beet Armyworm, Beetles (Including Asparagus Thoroughly spray all areas of the plant, especially new shoots and underside

9

(cont'd)

<u> </u>	n c	** P & T & T & T & T & T & T & T & T & T &	\$ D B B B B C C D D D D D	2 ho ===================================
DIRECTIONS FOR USE (cont'd)	FRI IIT AND NI IT TREES:	FRUIT AND NUTT REES: Almond, apple, cherry, citrus, filbert, nectarine, peach, pear, plum, prune, walnut  VEGETABLE AND VINE PLANTS: beans, beets, blackberries, blueberries, broccoil, brussel sprouts, cabbage, carrots, cauliflower, corn, cucurbits, (cucumber, melons, pumpkins and squash), currant, gooseberries, grapes, kale, onions, peas, peppers, potatoes, raspberries, strawberries, tomatoes	EGETABLE AND VINE PLANTS: eans, beets, blackberries, blueberries, roccoil, brussel sprouts, cabbage, carrots, sulliflower, corn, cucurbits, (cucumber, selons, pumpkins and squash), currant, soseberries, grapes, kale, onions, peas, eppers, potatioes, raspberries, rawberries, tomatoes	ORNAMENTALS: flowering plants and shrubs, woody ornamentals, roses, trees and house plants
E (cont'd)	ante/aveludingfi ante	ants (excluding fi ants, harvester ants, Pharaoh's ants and carpenter ants), aphids, apple maggot, beetles, mites, moths, spider mites, leafnoppers, leafnollers, leafminers, caterpillars, whitefi spittlebugs, mealybugs, scale, thrips, psyllids, plant bugs, fruit flies, earwigs ants (excluding fi ants, harvester ants, Pharaoh's ants and carpenter ants), armyworms, beetles, cabbageworms, squash vine borer, armyworms, aphids, mites, spider mites, leafnolpers, leafnolpers, onion maggots, caterpillars, whitefi spittlebugs, mealybugs, scale, thrips, mealybugs, scale, thrips,	ants (excluding fi ants, harvester ants, Pharaoh's ants and carpenter ants), armyworms, beetles, cabageworms, squash vine borer, armyworms, aphids, mites, spider mites, leafnolpers, leafrollers, leafnolpers, onion maggots, cater pillars, whitefi spittlebugs, smealybugs, scale, thrips, psyllids, plant bugs, fruit fi earwigs, weevils	ants (excluding fi ants, harvester ants, Pharaoh's ants and carpenter ants), aphids, beetles, mites, spider mites, leafnopers, leafnolers, leafminers, armyworms, loopers, caterpillars, roseslugs, whitefi spittlebugs,
	Crah nowden mildew	scab, powdery mildew, rust, blight, brownrot blight, leaf spots	powdery mildew, rust, blight, leaf spots	powdery mildew, rust, blight, black spot, leaf spots

## STORAGE AND DISPOSAL Store at room temperature and protect from freezing.

œ

PESTICIDE STORAGE PESTICIDE

Nonrefillable. Do not reuse or refill this container.

DISPOSAL AND If Empty:

CONTAINER

 Place in trash or offer for recycling if available.
 If Partly Filled: Callyour local solid waste agency or call 1-877-229-3724 for disposal

7

instructions. Never place unused product down any indoor or outdoor

water when disposing of equipment, washwater, or rinsate. Do not apply directly to or near water. Drift and run-off may be hazardous to fish in water adjacent to treated areas. See Directions for Use for additional precautions and requirements. This product i A. M. V. B. D. B. W. J. H. S. M. J. A. H. H. H. A. A. B. M. S. Tebrates. Do not contaminate

G

# PHYSICAL OR CHEMICAL HAZARDS

Combustible. Do not use or store near heat or open flame.

### User Safety Recommendations

- Users should wash hands with plenty of soap and water before eating, drinking, chewing gum, using tobacco, or using the toilet.
   Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and
- put on clean clothing.

LAWNS

earwigs

peetles, spittlebugs, thrips,

aphids, mites, spider mites, leafhoppers, caterpillars,

rust, leaf spot, blight, powdery mildew

psyllids, plant bugs,

acebugs, earwigs, weevils